

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	684	(607/116).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/01/09 17:30
S4	94	(607/125).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/08/25 10:38
S5	1280	(600/585).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/08/18 11:51
S6	498	(604/528).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/08/18 11:21
S7	1278	(600/373-381).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/08/18 11:51
S8	1255	(607/122).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/08/19 11:58
S9	282	taper\$ and S8	US-PGPUB; USPAT	AND	OFF	2008/01/02 17:30
S13	6	((("3729008") or ("20040220651") or ("3865118") or ("4402328") or ("5683445") or ("5995876")).PN.	US-PGPUB; USPAT	OR	OFF	2005/08/22 09:22
S14	4	((("20020049485") or ("5522875") or ("4796642") or ("4350169")).PN.	US-PGPUB; USPAT	OR	OFF	2005/08/22 09:57
S15	346	(607/55-57).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/08/22 09:58
S17	117	S15 and lead and (curv\$ or coil\$)	US-PGPUB; USPAT	AND	OFF	2005/08/22 09:59
S18	3	((("20040220651") or ("20030093169") or ("20040225336")).PN.	US-PGPUB; USPAT	OR	OFF	2005/08/22 10:34
S19	22	(Zhao near2 Yong near2 D) or (Hess near2 Douglas near2 N) or (Leners near2 Michael near2 R)	US-PGPUB; USPAT	AND	OFF	2005/08/22 10:30
S20	1255	(607/122).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/08/22 11:26
S21	89	(j near (shape or shaped)) and S20	US-PGPUB; USPAT	AND	OFF	2008/01/02 17:33
S22	2745	(j near (shape or shaped)) and lead	US-PGPUB; USPAT	AND	OFF	2005/08/22 15:22

S23	718	(j near (shape or shaped)) and lead and taper\$	US-PGPUB; USPAT	AND	OFF	2006/11/10 12:20
S24	634	(j near (shape or shaped)) and lead and (taper or tapered)	US-PGPUB; USPAT	AND	OFF	2005/08/22 12:32
S25	132	(j near (shape or shaped)) and lead and ((taper or tapered) with distal)	US-PGPUB; USPAT	AND	OFF	2006/04/29 18:18
S26	1	("4,545,390").PN.	US-PGPUB; USPAT	OR	OFF	2005/08/22 12:34
S27	12	((("4925445") or ("5303714") or ("5333620") or ("5368048") or ("5443907") or ("5569463") or ("5606981") or ("5680873") or ("5924998") or ("6077880") or ("6139510") or ("6251086")).PN.	US-PGPUB; USPAT	OR	OFF	2005/08/22 13:53
S28	277	(j near (shape or shaped)) and lead and (stylet or stylette or (guide near wire))	US-PGPUB; USPAT	AND	OFF	2005/08/26 07:51
S29	90	(j near (shape or shaped)) and lead and (stylet or stylette or (guide near wire)) and (taper or tapered)	US-PGPUB; USPAT	AND	OFF	2005/08/24 11:10
S30	277	(j near (shape or shaped)) and lead and (stylet or stylette or (guide near wire))	US-PGPUB; USPAT	AND	OFF	2006/11/10 12:20
S31	1	("6638268").PN.	US-PGPUB; USPAT	OR	OFF	2005/08/24 11:31
S32	27	("20020103474" "4790831" "4886506" "5290229" "5336182" "5505698" "5584803" "5643231" "5690611" "5782741" "5785706" "5807249" "5824031" "5846229" "5879295" "5916214" "6001085" "6002955" "6006137" "6022341" "6080151" "6090084" "6093173" "6122552" "6179809" "6228052" "6273881").	US-PGPUB; USPAT; USOCR	AND	OFF	2005/08/24 12:47

		PN. OR ("6638268").URPN.				
S33	13	((("20020143380") or ("20020116043") or ("6,355,027") or ("20020111663") or ("6,638,268") or ("6,135,992") or ("6,001,085") or ("5,984,909") or ("5,800,495") or ("5,722,963") or ("5,549,581") or ("5,545,204") or ("5,423,772")).PN.	US-PGPUB; USPAT	OR	OFF	2005/08/24 20:17
S34	583	(j near (shape or shaped)) and (stylet or stylette or (guide near wire))	US-PGPUB; USPAT	AND	OFF	2005/08/24 19:26
S35	215	(j near (shape or shaped)) and (stylet or stylette or (guide near wire)) and degree	US-PGPUB; USPAT	AND	OFF	2005/08/24 19:49
S36	1389	"210" near (degree or degrees)	US-PGPUB; USPAT	AND	OFF	2005/08/26 10:15
S37	1	S34 and S36	US-PGPUB; USPAT	AND	OFF	2005/08/24 19:27
S38	2	S34 and ("200" near (degree or degrees))	US-PGPUB; USPAT	AND	OFF	2005/08/24 19:49
S39	0	S34 and ("205" near (degree or degrees))	US-PGPUB; USPAT	AND	OFF	2005/08/24 19:33
S40	0	S34 and ("190" near (degree or degrees))	US-PGPUB; USPAT	AND	OFF	2005/08/24 19:33
S41	0	S34 and ("220" near (degree or degrees))	US-PGPUB; USPAT	AND	OFF	2005/08/24 19:34
S42	0	S34 and ("215" near (degree or degrees))	US-PGPUB; USPAT	AND	OFF	2005/08/24 19:34
S43	0	S34 and ("21\$" near (degree or degrees))	US-PGPUB; USPAT	AND	OFF	2005/08/24 19:34
S44	0	S34 and ("22\$" near (degree or degrees))	US-PGPUB; USPAT	AND	OFF	2005/08/24 19:34
S45	11	S34 and ("20\$" near (degree or degrees))	US-PGPUB; USPAT	AND	OFF	2005/08/24 19:35
S46	11	S34 and ("20" near (degree or degrees))	US-PGPUB; USPAT	AND	OFF	2005/08/24 19:35
S47	90	(j near (shape or shaped)) and (stylet or stylette or (guide near wire)) and helix	US-PGPUB; USPAT	AND	OFF	2005/08/24 19:49

S48	1	("20040073141").PN.	US-PGPUB; USPAT	OR	OFF	2005/08/24 20:17
S49	413	(600/434).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/08/25 11:56
S50	227	S49 and (stylet or stylette or (guide near wire))	US-PGPUB; USPAT	AND	OFF	2005/08/25 11:56
S51	193	S50 and (bent or bend or shape or shaped)	US-PGPUB; USPAT	AND	OFF	2005/08/25 11:57
S52	24	S50 and (J near (shape or shaped))	US-PGPUB; USPAT	AND	OFF	2005/08/25 11:57
S55	270	(j near (shape or shaped)) and stylet	US-PGPUB; USPAT	AND	OFF	2005/08/26 10:26
S56	1	S55 and "210" near (degree or degrees)	US-PGPUB; USPAT	AND	OFF	2005/08/26 10:28
S57	0	S55 and "200" near (degree or degrees)	US-PGPUB; USPAT	AND	OFF	2005/08/26 10:33
S58	0	S55 and "220" near (degree or degrees)	US-PGPUB; USPAT	AND	OFF	2005/08/26 10:35
S59	0	S55 and "215" near (degree or degrees)	US-PGPUB; USPAT	AND	OFF	2005/08/26 10:35
S60	0	S55 and "205" near (degree or degrees)	US-PGPUB; USPAT	AND	OFF	2005/08/26 10:36
S61	2749	(j near (shape or shaped)) and lead	US-PGPUB; USPAT	AND	OFF	2005/08/26 10:26
S62	4	S61 and "210" near (degree or degrees)	US-PGPUB; USPAT	AND	OFF	2005/08/26 11:01
S64	2	S61 and "200" near (degree or degrees)	US-PGPUB; USPAT	AND	OFF	2005/08/26 10:36
S65	2	S61 and "220" near (degree or degrees)	US-PGPUB; USPAT	AND	OFF	2005/08/26 10:38
S66	3	S61 and "215" near (degree or degrees)	US-PGPUB; USPAT	AND	OFF	2005/08/26 10:37
S67	0	S61 and "205" near (degree or degrees)	US-PGPUB; USPAT	AND	OFF	2005/08/26 10:36
S68	18	S61 and "270" near (degree or degrees)	US-PGPUB; USPAT	AND	OFF	2005/08/26 10:39
S69	0	S61 and "250" near (degree or degrees)	US-PGPUB; USPAT	AND	OFF	2005/08/26 10:39
S70	410	(607/152).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/08/26 11:07
S71	142	(j near (shape or shaped)) and lead and ((taper or tapered) with distal)	US-PGPUB; USPAT	AND	OFF	2006/01/09 17:26
S72	1307	(607/122).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/01/09 17:26

S73	19	S71 and S72	US-PGPUB; USPAT	AND	OFF	2006/01/09 17:26
S74	1	(j near (shape or shaped)) with lead with ((taper or tapered) with distal)	US-PGPUB; USPAT	AND	OFF	2006/04/29 18:19
S75	241	lead with ((taper or tapered) with distal)	US-PGPUB; USPAT	AND	OFF	2008/01/07 11:35
S76	0	("2003/0009095").URPN.	USPAT	AND	OFF	2006/04/29 19:06
S77	0	("2003/0109914").URPN.	USPAT	AND	OFF	2006/04/29 19:14
S78	28	("3333045" "4281668" "4311153" "4483577" "4748986" "4750494" "4895168" "4922927" "4928688" "4957110" "4966599" "5099838" "5165403" "5261417" "5269319" "5466254" "5476498" "5509411" "5531781" "5545204" "5639276" "5674273" "5755766" "5803928" "5935160" "5971983" "6138043").PN. OR ("6714823").URPN.	US-PGPUB; USPAT; USOCR	AND	OFF	2006/04/29 19:18
S79	812	(j near (shape or shaped)) and lead and taper\$	US-PGPUB; USPAT	AND	OFF	2006/11/10 12:20
S80	301	(j near (shape or shaped)) and lead and (stylet or stylette or (guide near wire))	US-PGPUB; USPAT	AND	OFF	2008/01/07 16:48
S81	1512	(607/122).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/01/02 17:30
S82	341	taper\$ and S81	US-PGPUB; USPAT	AND	OFF	2008/01/02 17:30
S83	1512	(607/122).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/01/02 17:33
S84	102	(j near (shape or shaped)) and S83	US-PGPUB; USPAT	AND	OFF	2008/01/02 17:33

S85	26	("4374527" "4387717" "4402328" "4414986" "4506680" "4641656" "4972848" "5282844" "5423772" "5423865" "5433729" "5445148" "5476498" "5534022" "5683445" "5871531" "5885278" "5999858" "6064902" "6212434"). PN. OR ("6321123").URPN.	US-PGPUB; USPAT; USOCR	AND	OFF	2008/01/02 17:39
S86	30	("3333045" "4281668" "4311153" "4483577" "4748986" "4750494" "4895168" "4922927" "4928688" "4957110" "4966599" "5099838" "5165403" "5261417" "5269319" "5466254" "5476498" "5509411" "5531781" "5545204" "5639276" "5674273" "5755766" "5803928" "5935160" "5971983" "6138043").PN. OR ("6714823").URPN.	US-PGPUB; USPAT; USOCR	AND	OFF	2008/01/07 11:19
S87	0	("2005/0065588").URPN.	USPAT	AND	OFF	2008/01/07 11:33
S88	286	lead with ((taper or tapered) with distal)	US-PGPUB; USPAT	AND	OFF	2008/01/07 11:35
S89	93	lead with ((taper or tapered) with distal) and stylet	US-PGPUB; USPAT	AND	OFF	2008/01/07 11:41
S90	88	stylet with ((taper or tapered) with distal) and lead	US-PGPUB; USPAT	AND	OFF	2008/01/07 12:07
S91	1	("20030187445").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/07 12:08
S92	2	("2003/0187445").URPN.	USPAT	AND	OFF	2008/01/07 12:07
S93	6	10/390970	US-PGPUB; USPAT	AND	OFF	2008/01/07 12:09
S94	5	((("20020188291") or ("20030045937") or ("6626916") or ("6712853") or ("6736815")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/07 12:09

S95	741	(j near (shape or shaped)) and (stylet or stylette or (guide near wire))	US-PGPUB; USPAT	AND	OFF	2008/01/07 16:49
S96	237	(j near (shape or shaped)) with (stylet or stylette or (guide near wire))	US-PGPUB; USPAT	AND	OFF	2008/01/07 16:50
S97	321	(j near (shape or shaped)) same (stylet or stylette or (guide near wire))	US-PGPUB; USPAT	AND	OFF	2008/01/07 16:49
S98	107	(j near (shape or shaped)) with (stylet or stylette or (guide near wire)) and (taper or tapered)	US-PGPUB; USPAT	AND	OFF	2008/01/08 14:05
S99	1	("20050033396").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/08 14:06
S100	387	(j near (shape or shaped)) and lead and (stylet or stylette or (guide near wire))	US-PGPUB; USPAT	AND	OFF	2008/09/12 00:02

9/12/2008 3:49:09 PM

C:\Documents and Settings\AAAlter\My Documents\EAST\Workspaces\10668789.wsp